

## 50 GPD Reverse Osmosis System with Pump



### 5 Stage Reverse Osmosis System

**Under the Counter** Reverse Osmosis System provides safe, pure water using Reverse Osmosis Technology. It's capable of removing over 90% of total dissolved solids, +99% of all organics and +99% of all bacteria.

System installs neatly under the sink. Comes with long reach faucet, storage tank, and necessary installation hardware.

#### System Features:

- 5 Stage Filtration
- **50 Gallons Per Day / 190 Liters Per Day**
- Long Reach Chrome Faucet
- 3.2 Gallons / 12 Liters Storage Tank
- All hardware included
- Stage 1: 5 microns sediment pre-filter
- Stage 2: Activated Carbon pre-filter
- Stage 3: Carbon block pre-filter
- Stage 4: 50 GPD TFC Reverse Osmosis Membrane
- Stage 5: Inline GAC filter
- Fully Assembled

Reverse Osmosis water filtration provides an extremely high level of water purity, does have one disadvantage - the need for backwashing to clean the filter screens wastes a lot of water. Some systems will waste ten litres of water for each 5 litres of purified water produced.

Water pressure into the unit is also an issue with reverse osmosis water filters. If the water pressure going into the water filter is insufficient, a booster pump will be required to increase the pressure so that the water filter will work properly. We recommend the use of reverse osmosis system with booster pump to eliminate any worry about water pressure deficiencies or fluctuations on installation.



Stage 1: PP 5micron sediment Filtration Functions: Sedimental filtration with filter precision of 1 microns, removing suspendings, sands, rusts, rubbers and germ that larger than1 microns.



Stage 2: Carbon block filter to remove any additional chlorine and organic matter from water without release of carbon fines. The carbon block prepares water to enter the reverse osmosis or Ultraviolet element.



Stage 3: 1mic Sediment: This filter is rated to filter particles larger than 1 micron. It is a true graded density pure polypropylene depth filter.



Membrane: The **cell membrane** or **plasma membrane** is a [biological membrane](#) that separates the [interior](#) of all cells from the [outside environment](#)



### **Kiddie Water Dispensers**

This product does not heat or cool water. The purpose of the product is to encourage children to drink water every day (8 glasses of water per day).

# Counter top hot & cold water dispenser

## Specifications

Description: Counter top hot & cold water dispenser

Dimensions: (W) 335mm x (D) 330mm x (H) 490mm

Weight: 12 Kg

Capacity: 20 Litres

Input Power: 220 Volt

Finish: White



## Additional Information

- Water temperature: 6 degrees celcius

# Freestanding hot & cold water dispenser with fridge

## Specifications

Description: Freestanding hot & cold water dispenser with refrigerator

Dimensions: (W) 325mm x (D) 335mm x (H) 960mm

Weight: 15 Kg

Capacity: 20 Litres

Input Power: 220 Volt

Finish: White



## Additional Information

- Water temperature: 6 degrees celcius

## Freestanding hot & cold filtered water fountain



### Specifications

Description:	Freestanding hot & cold filtered water fountain
Dimensions:	(W) 430mm x (D) 330mm x (H) 1050mm
Weight:	35 Kg
Input Power:	220 Volt
Finish:	Stainless Steel

### Additional Information

- Maximum water pressure 65PSI
- Coldwater output 8L/H
- Hotwater output 8L/H
- Must be plumbed in with pressure reducing valve

# **BEVERAGE COOLERS**

## **Counter top glass door beverage cooler with light box**



### **Specifications**

Model: **CTB-100**

Description: Beverage cooler with lightbox and internal light

Dimensions: (W) 480mm x (D) 470mm x (H) 800mm

Weight: 38 Kg

Capacity: 75 Litres (3x340ml cases)

Finish: Grey

---

## **Counter top glass door beverage cooler**



### **Specifications**

Model: **SC-130**

Description: Counter top glass door beverage cooler

Dimensions: (W) 520mm x (D) 560mm x (H) 840mm

Weight: 44 Kg

Capacity: 80 Litres

Finish: Grey

### **Additional Information**

- Internal dimensions: (w) 430mm x (d) 340mm x (h)540mm
  - Capacity: 72 x 340ml cans
  - Two shelves
  - Interior light with on/off switch
-

## Point of sale beverage cooler with lightbox



### Specifications

Model: **BC1**

Description: Point of sale beverage cooler with lightbox

Dimensions: (W) 330mm x (D) 410mm x (H) 580mm

Weight: 20 Kg

Capacity: 16 Litres

Finish: Grey

### Additional Information

- Capacity: 1 case red bull
- Powder coated cabinet

---

## Counter top glass door beverage cooler with lightbox



### Specifications

Model: **BC2**

Description: Counter top glass door beverage cooler with lightbox

Dimensions: (W) 295mm x (D) 370mm x (H) 550mm

### Additional Information

- Internal light and lock
-

## 130 Litre free standing beverage cooler



### Specifications

Model:	<b>SC-130FS</b>
Description:	130 Litre free standing beverage cooler
Dimensions:	(W) 500mm x (D) 540mm x (H) 1310mm
Weight:	52 Kg
Capacity:	130 Litres
Finish:	Powder Coated White

### Additional Information

- Internal dimensions: (W) 410mm x (D) 420mm x (H) 760mm
- Interior light
- Advertising panel
- Adjustable shelves

---

## 90 Litre bar fridge



### Specifications

Model:	<b>SC-90</b>
Description:	90 Litre bar fridge
Dimensions:	(W) 450mm x (D) 480mm x (H) 830mm
Weight:	30 Kg
Capacity:	90 Litres
Input Power:	220/12 Volt
Finish:	Black

### Additional Information

- Undercounter Bar Fridge
- Adjustable Thermostat
- Adjustable shelves



---

## 2 door sliding under bar



### Specifications

Model:	<b>DBQ220LSS</b>
Description:	2 door sliding underbars beverage cooler
Dimensions:	(W) 920mm x (D) 505mm x (H) 900mm
Finish:	Stainless Steel

---

## 220 Liter 2 door sliding under bar



### Specifications

Model:	<b>DBQ220LS2</b>
Description:	220 Liter 2 door sliding underbars beverage cooler
Dimensions:	(W) 920mm x (D) 505mm x (H) 900mm
Capacity:	220 Litres
Finish:	Black

### Additional Information

- Auto closing door's, reduce temperature loss
  - Interior LED light
  - Digital temperature controller with temperature indicator
-

## 300 Liter 3 door sliding under bar



### Specifications

Model:	<b>DBQ300LS3</b>
Description:	300 Liter 3 door sliding under bar beverage cooler
Dimensions:	(W) 1330mm x (D) 505mm x (H) 900mm
Capacity:	300 Litres
Finish:	Black

### Additional Information

- Auto closing door's, reduce temperature loss
- Interior LED light
- Digital temperature controller with temperature indicator

---

## Single Sliding Door



### Specifications

Model:	<b>LG280</b>
Description:	Single Sliding Door
Dimensions:	(W) 575mm x (D) 606mm x (H) 1830mm

## Double Sliding Door



### Specifications

Model: **LG1000SD**

Description: Double Sliding Door

Dimensions: (W) 1330mm x (D) 700mm x (H) 2020mm

# WINE CHILLERS

## **32 bottle wine chiller**



### **Specifications**

Model: **TC-32**

Description: 30 bottle wine chiller

Dimensions: (W) 385mm x (D) 590mm x (H) 880mm

Finish: Silver Steel Door Frame Black Powder Coated Cabinet

---

## **Double Door Wine/Beverage cooler**



### **Specifications**

Model: **SN38/TC32D**

Description: Double Door Wine/Beverage cooler

Dimensions: (W) 605mm x (D) 580mm x (H) 807mm

Finish: Silver Steel Door Frame Black Powder Coated Cabinet

---

## 52 bottle wine chiller



### Specifications

Model:	<b>VT-60</b>
Description:	52 bottle wine chiller
Dimensions:	(W) 607mm x (D) 580mm x (H) 865mm
Weight:	60 Kg
Capacity:	40 Litres
Input Power:	220 Volt
Finish:	Stainless Steel

### Additional Information

- Digital thermostat & temperature indicator
- Interior light
- Can be built in
- Sainless Steel Cabinet

# 12 VOLT FRIDGE FREEZERS

## DC-13Y 12 Volt Fridge Freezer



### Specifications

Model:	<b>DC-13Y</b>
Description:	DC-13Y 12 Volt Fridge Freezer
Dimensions:	(W) 230mm x (D) 480mm x (H) 380mm
Weight:	10.5 Kg
Capacity:	13 Litres
Finish:	Black Powder Coated Cabinet with Silver Lid

### Additional Information

- COMPRESSOR COOLING
- DIGITAL TEMPERATURE CONTROLLER WITH TEMPERATURE INDICATOR
- TRANSIT BAG

---

## HMSL-15



### Specifications

Model:	<b>HMSL-15</b>
Description:	15Lt Sports Cooler
Dimensions:	(W) 490mm x (D) 265mm x (H) 310mm

---

## 40 Litre portable fridge freezer - Red



### Specifications

Model:	<b>BD/C-40R</b>
Description:	40Lt portable fridge freezer
Dimensions:	610mm x 440mm x 515mm
Finish:	Stainless steel cabinet
Compressor:	Snomaster 66 watt compressor

### Additional Information

- Includes transit bag
  - Optional wireless temperature and battery monitor
  - Interior LED light and LID buzzer
  - Digital temperature controller
  - 3 x Low battery cut out settings
- 

## 80 Litre portable fridge freezer - Red



### Specifications

Model:	<b>BD/C-80R</b>
Description:	80Lt portable fridge /freezer
Dimensions:	720mm x 530mm x 525mm
Finish:	Stainless steel cabinet
Compressor:	Snomaster 66 watt compressor

### Additional Information

- Includes transit bag
  - Optional wireless temperature and battery monitor
  - Interior LED light and LID buzzer
-

## 52 Litre Double Door fridge / freezer - Red



### Specifications

Model:	<b>BD/C-60 AC/DC D RED</b>
Description:	2 separate compartments 28Lt fridge and 24Lt freezer
Dimensions:	720mm x 480mm x 525mm
Finish:	Stainless steel cabinet
Compressor:	Snomaster 66 watt compressor

### Additional Information

- Includes transit bag
- Wireless temperature and battery monitor
- Interior LED light and LID buzzer
- Digital temperature controller
- 3 x Low battery cut out settings

---

## BD/C-60SS



### Specifications

Model:	<b>BD/C-60SS</b>
Description:	60 Lt, 15 Lt Freezer with 45Lt Fridge or Freezer Com Dual Thermostat Danfoss 55 watt Compressor
Dimensions:	(W) 650mm x (D) 450mm x (H) 545mm

### Additional Information

- 2 backlit temperature Indicators
  - High and low speed switch
  - 2.5 amps on Low speed and 5 amps on High Speed
-



## 60 Litre dual control fridge freezer



### Specifications

Model:	<b>BD/C-60 FF</b>
Description:	60 Lt dual control fridge freezer
Dimensions:	(W) 670mm x (D) 480mm x (H) 530mm
Weight:	23 Kg
Capacity:	60 Litres
Input Power:	12/220 Volt
Finish:	Powder Coated

### Additional Information

- 45 Litre freezer /15 Litre refrigerator
- Mechanical thermostat with temperature indicator
- Transit Bag
- High and Low speed switch
- 2.5 Amps on low speed and 4.5 Amps on high speed
- Built in low battery cut out

---

## 80 Litre Dual Control Fridge Freezer



### Specifications

Model:	<b>BD/C-80 FF</b>
Description:	80 Lt dual control fridge freezer
Dimensions:	(W) 640mm x (D) 470mm x (H) 620mm
Weight:	27 Kg
Capacity:	80 Litres
Input Power:	12 / 220 Volt
Finish:	White powder coated cabinet
Compressor:	Danfoss 55 Watt

### Additional Information

- 20 Lt fridge and 60 Lt freezer
- Mechanical thermostat with temperature indicator
- Transit Bag
- High and low speed switch
- 2.5 Amps on low speed and 4.5 Amps on high speed
- Built in low battery cut out

---

## 70Lt Double Door Fridge Freezer

### Specifications

Model: **BD/C-70SS**

Description: 2x separate compartments  
22Lt and 48Lt compartments

Dimensions: 830mm x 530mm x 530mm

Capacity: 70 Litres

Compressor: Danfoss 55 Watt



### Additional Information

- Can set both compartments as fridge or freezer
  - Dual control
  - Interior LED lights
  - Digital temperature indicator
  - Mechanical thermostats
-

## 95 Litre Double Door Fridge Freezer



### Specifications

Model:	<b>BD/C-100FF</b>
Description:	2x seperate compartments 35Lt and and 60Lt
Dimensions:	830mm x 530mm x 640mm
Capacity:	95 Litres
Compressor:	Danfoss 55 Watt

### Additional Information

- Can set both compartments as fridge or freezer
- Dual control
- Interior LED Lights
- Digital temperature indicator
- Mechanical thermostats

---

## 2 Way Portable Refrigerator



### Specifications

Model:	<b>BD/C-40G</b>
Description:	2 Way Portable Refrigerator
Dimensions:	(W) 500mm x (D) 430mm x (H) 440mm
Weight:	23 Kg
Capacity:	35 Litres
Input Power:	12/220 Volt / LPG Gas
Finish:	Grey powder Coated Cabinet

### Additional Information

- AC Supply: 230V /50Hz /90W
- LPG gas consumption 15 G/HR
- Must be level and well ventilated
- Will cool to between 5 and 7 degrees celcius at 30 degrees ambient

- Ideal for long trips where suitable AC or DC power is not available
- Removable Cutting Board on Lid

---

## 50 Litre Super Refrigerator



### Specifications

Model:	<b>BD/C-50 GF</b>
Description:	2 Way 50 Litre super refrigerator / freezer
Dimensions:	(W) 635mm x (D) 500mm x (H) 510mm
Weight:	26 Kg
Capacity:	50 Litres
Input Power:	220 Volt / LPG Gas
Finish:	Grey Powder Coated Cabinet

### Additional Information

- Powered by 220V or Gas
  - LPG gas consumption 15-20 G/HR
  - 220 volt 130 watts 0.57 Amps
  - Gas flow meter
  - Built in level indicator
  - Recessed handles
  - Must be level and well ventilated
  - Excluding transit bag
-

# 100 Litre 12 / 220 Volt Fridge Freezer



## Specifications

Model:	<b>BD/C-100</b>
Description:	100LT 12 / 220 VOLT FRIDGE FREEZER
Dimensions:	(W) 605mm x (D) 550mm x (H) 860mm
Weight:	30 Kg
Capacity:	100 Litres
Input Power:	12/220 Volt
Finish:	White Powder Coated

## Additional Information

- 70MM INSULATION ON CABINET
- MECHANICAL THERMOSTAT
- 50MM INSULATION ON THE LID
- PERFECT FOR AFRICA
- DRAIN FOR EASY CLEANING
- WIRE ON TUBE BACK WALL CONDENSER